

Somany Ceramics Limited
Corporate Office: F-36, Sector-6, Noida-201301, Uttar Pradesh; Ph.: 0120-4627900
Ahmedabad Office: 601 to 606, 6<sup>th</sup> Floor, Aalps Euphoria, Opp. Adani CNG Pump, B/s. Gota Flyover, S.G. Highway, Ahmedabad-382481; Ph.: 079-27661103 & 04
Registered Office: 2, Red Cross Place, Kolkata-700001; Ph.: 033-22487406/5913
www.somanyceramics.com I e-mail: customer.care@somanyceramics.com

Toll Free No. 1800-103-0004 (Timing-10:00 am to 6:30 pm; Mon-Fri)






## Shine with LUX, Soothe with QUILLTOUCH

Regalia 2.0 collection, is where artistry and nature intertwine to create breathtaking masterpieces. The LUX surface exudes opulence with its glossy finish, reminiscent of dewdrops glistening in bright light. The lustrous surface invites admiration, much like the enchanting allure of a starlit sky, evoking a sense of wonder and sophistication.

QuillTouch surface features a non-reflective and smooth appearance that whispers serenity. Its feather-like velvety texture draws inspiration from the tranquil beauty of nature, mirroring the gentle caress of a soft breeze through a sun-dappled forest, this surface infuses a touch of luxury into any environment. QuillTouch thrives in busy environments and daily applications, delivering outstanding abrasion resistance and exceptional slip resistance.

Whether you embrace the elegance of LUX or the subtle refinement of QuillTouch, it's time to delve into our exclusive and unmatched collection.







### Design

Finish





Sizes: 1200x1800mm | Thickness: 9mm

Design: 5 | Finish: 2 | Total SKU: 5 Polish + 5 Matt



## 2

## Design

Finish





Sizes: 1200x2400mm | Thickness: 9mm

Design: 3 | Finish: 2 | Total SKU: 3 Polish + 3 Matt



## A

### Design

### Finish





Sizes: 1200x1800mm | Thickness: 9mm Design: 7 | Finish: 1 | Total SKU: 7 Polish

A



### Design

Finish





Sizes: 1200x1800mm / 1200x2400mm | Thickness: 9mm Design: 5 | Finish: 1 | Total SKU: 5 Polish

### TECHNICAL FEATURES



### **SUPERIOR GLOSS SURFACE**

Our tiles feature a stunning, high-gloss finish that elevates any space. The reflective surface amplifies light, creating a brighter and more luxurious ambiance.

#### **EASY TO CLEAN**

Our Strongx Surface Tiles are easy to clean and maintain, thanks to their non-porous surface that resists dirt and stains.





## ABRASION RESISTANCE FOR MODERATE TO HIGH TRAFFIC AREAS

Our tiles are designed to withstand the test of time, even in high-traffic areas. Their superior abrasion resistance ensures durability and maintains their pristine appearance for years to come.

### **REFLECTIVE GLOSS INDEX <8%**

Our tiles feature a subtle, low-reflection finish, reducing glare and creating a more comfortable visual experience. This makes them ideal for various settings, including spaces with significant natural light.



### **APPLICATIONS**



Residential Commercial





Hospital





Hotels &



Schools







Outdoor Public





### 1200x1800mm / 1200x2400mm


The LUX surface, with its glossy, dewdrop-like finish, exudes opulence and sophistication. Its lustrous appearance evokes the wonder of a starlit sky. In contrast, the QuillTouch surface offers a non-reflective, smooth, and velvety texture, reminiscent of a gentle breeze. It provides a tranquil and luxurious feel, while also being highly durable and slip-resistant, making it ideal for busy environments.













## BURBURRY CREMA 180

Size: 1200x1800mm / 1200x2400mm Surface: LUX / Quilltouch Thickness: 9mm






LUX



Quilltouch









WALL: BURBURRY CREMA 240 QUILL SIZE: 1200X2400MM | SURFACE: QUILLTOUCH

FLOOR: BURBURRY CREMA 240 QUILL SIZE: 1200X2400MM | SURFACE: QUILLTOUCH



### ESSENCE BEIGE 180

Size: 1200x1800mm / 1200x2400mm Surface: LUX / Quilltouch Thickness: 9mm






LUX



Quilltouch

 $e_0$ 










WALL: ESSENCE BEIGE 240 QUILL SIZE: 1200X2400MM | SURFACE: QUILLTOUCH

FLOOR: **ESSENCE BEIGE 240 QUILL** SIZE: **1200X2400MM** | SURFACE: **QUILLTOUCH** 

FREESTANDING BASIN: **STELLA COCOA 26 MATT**SIZE: **800X2600MM** | SURFACE: **MATT** 



## ESSENCE SLATE 180

Size: 1200x1800mm / 1200x2400mm Surface: LUX / Quilltouch Thickness: 9mm





LUX



Quilltouch

 $e_0$ 



12







WALL: ESSENCE SLATE 240 QUILL SIZE: 1200X2400MM | SURFACE: QUILLTOUCH

FLOOR: **ESSENCE SLATE 240 QUILL**SIZE: **1200X2400MM** | SURFACE: **QUILLTOUCH** 

13

TABLE: NEBULA COCOA 26 POLISHED SIZE: 800X2600MM | SURFACE: POLISHED



### FANTACY CREMA 180

Size: 1200x1800mm Surface: LUX / Quilltouch Thickness: 9mm





LUX



Quilltouch









WALL: FANTACY CREMA 180 QUILL SIZE: 1200X1800MM | SURFACE: QUILLTOUCH

FLOOR: **FANTACY CREMA 180 QUILL**SIZE: **1200X1800MM** | SURFACE: **QUILLTOUCH** 

TABLE: NEBULA BRICK RED 26 POLISHED SIZE: 800X2600MM | SURFACE: POLISHED



### PIETRA ROMA 180

Size: 1200x1800mm / 1200x2400mm Surface: LUX / Quilltouch Thickness: 9mm





LUX



Quilltouch









WALL: PIETRA ROMA 240 SIZE: 1200X2400MM | SURFACE: LUX

FLOOR: PIETRA ROMA 180 | PULPIS TAUPE 180 SIZE: 1200X1800MM | SURFACE: LUX

# Regalia



### 1200x1800mm / 1200x2400mm

Regalia 2.0 collection, is where artistry and nature intertwine to create breathtaking masterpieces. The LUX surface exudes opulence with its glossy finish, reminiscent of dewdrops glistening in bright light. The lustrous surface invites admiration, much like the enchanting allure of a starlit sky, evoking a sense of wonder and sophistication.










### ESSENCE GRIGE 180

Size: 1200x1800mm Surface: LUX Thickness: 9mm













WALL: ESSENCE GRIGE 180 SIZE: 1200X1800MM | SURFACE: LUX

FLOOR: **ESSENCE GRIGE 180** SIZE: **1200X1800MM** | SURFACE: **LUX** 

TABLE: STELLA CREMA 26 POLISHED SIZE: 800X2600MM | SURFACE: POLISHED

13



## FANTACY GREY 180

Size: 1200x1800mm Surface: LUX Thickness: 9mm














WALL: **FANTACY GREY 180** SIZE: **1200X1800MM** | SURFACE: **LUX** 

FLOOR: **FANTACY GREY 180** SIZE: **1200X1800MM** | SURFACE: **LUX** 

TABLE: STELLA COCOA 26 MATT SIZE: 800X2600MM | SURFACE: MATT





### NUVOLA GREY 180

Size: 1200x1800mm / 1200x2400mm Surface: LUX Thickness: 9mm










12







WALL: NUVOLA GREY 180 SIZE: 1200X1800MM | SURFACE: LUX

FLOOR: **PIETRA ROMA 240** SIZE: **1200X2400MM** | SURFACE: **LUX** 

TABLE: STRIO VALOR PEROBA WOOD WENGE SIZE: 200X1200MM | SURFACE: MATT

# Complements Any Palette with a touch of Luxe

Onyx Pearl exudes sophistication and luxury, making it the perfect choice for the glossy LUX surface. Its rich, dark undertones paired with pearlescent highlights bring depth and dimension to any space, captivating attention and enhancing visual appeal. This luxurious shade combines a classic and contemporary aesthetic, effortlessly adapting to diverse design styles from modern to traditional. Versatile and striking, it pairs beautifully with a spectrum of colours and materials, elevating both bold and subtle palettes and enhancing the elegance of any glossy surface.



### ONYX PEARL 180

Size: 1200x1800mm Surface: LUX Thickness: 9mm













WALL: ONYX PEARL 180 SIZE: 1200X1800MM | SURFACE: LUX

FLOOR: **ONYX PEARL 180** SIZE: **1200X1800MM** | SURFACE: **LUX** 

BATHROOM WALL: **NECTAR GREEN LUCIDO & NECTAR BREEN OPACO** SIZE: **75X300MM** | SURFACE: **RANDOM PUNCH** (GLOSSY / MATT)



## PULPIS TAUPE 180


Size: 1200x1800mm / 1200x2400mm Surface: LUX Thickness: 9mm













WALL: PULPIS TAUPE 180 SIZE: 1200X1800MM | SURFACE: LUX

FLOOR: PULPIS TAUPE 180 SIZE: 1200X1800MM | SURFACE: LUX


# Every Glossy detail speaks about Luxury Lasa Bianco embodies a fresh and elegant aesthetic, featuring a predominantly white background that inspires



### LASA BIANCO 180

Size: **1200x1800mm** Surface: LUX Thickness: 9mm













WALL: LASA BIANCO 180 SIZE: 1200X1800MM | SURFACE: LUX

FLOOR: **LASA BIANCO 180** SIZE: **1200X1800MM** | SURFACE: **LUX** 


12




## STATUARIO EMINENCE 180

Size: 1200x1800mm Surface: LUX Thickness: 9mm













WALL: **STATUARIO EMINENCE 180** SIZE: **1200X1800MM** | SURFACE: **LUX** 

FLOOR: **STATUARIO EMINENCE 180** SIZE: **1200X1800MM** | SURFACE: **LUX** 

TABLE & STAIRS: FANTACY CREMA 180 QUILL SIZE: 1200X1800MM | SURFACE: QUILLTOUCH




### SONATA GREY 240

Size: 1200x2400mm Surface: LUX Thickness: 9mm













WALL: SONATA GREY 240 SIZE: 1200X2400MM | SURFACE: LUX

FLOOR: **SONATA GREY 240** SIZE: **1200X2400MM** | SURFACE: **LUX** 



### PIETRA ROMA 240

Size: 1200x2400mm Surface: LUX Thickness: 9mm













WALL: PIETRA ROMA 240 SIZE: 1200X2400MM | SURFACE: LUX

FLOOR: **PULPIS TAUPE 180** SIZE: **1200X1800MM** | SURFACE: **LUX** 




## ONICE ICE BM 240 A & B

Size: 1200x2400mm Surface: LUX Thickness: 9mm













WALL: ONICE ICE BM 240 A & B SIZE: 1200x2400mm | SURFACE: LUX

FLOOR: **IONICE ICE BM 240 A & B** SIZE: **1200X2400MM** | SURFACE: **LUX** 


TABLE: STELLA BRICK RED 26 POLISHED SIZE: 800X2600MM | SURFACE: POLISHED


### TECHNICAL SPECIFICATION


### DESIGN, PATTERN & SHADE VARIATION GUIDE


Current development efforts have made ceramic tiles to resemble and look authentically to natural material (Stone, Wood, Fabric), and it has become increasingly in many cases, to distinguish between two.

Recognising this situation, it is necessary to be informed on the grade of design & pattern variation that is expected from these products. As a general reference, the design & pattern guide below classifies a scale of ranges according to the degree of variation.









**V1** Uniform Appearance

Slight Variation

**V3** Moderate Variation

**V4** Substantial Variation

The classification is as follow:

✓ Minimal Variation	<b>V≥</b> Slight Variation	<b>™</b> Random Variation

PACKAGING DETAIL FOR 1200X2400MM, 1200X1800MM						
Nominal Size(mm)	Thickness(mm)	Avg. weight per carton(Kgs)	No. of tiles per carton	Coverage area per carton		
1200x2400 (Max 180 Series)	9.0	61.0	1	2.88sq.mtr./31.00sq.ft.		
1200x1800 (Max 180 Series)	9.0	93.0	2	4.32sq.mtr./46.50sq.ft.		

TECHNICAL SPECIFICATIONS FOR 1200X1800MM, 1200x2400MM						
Characteristics	Requirement as per IS 15622:2017 E≤ 0.08 Group B I a	Requirement as per ISO 13006:2018 ≤ 0.5% Group B I a	Our Values	Test Method		
Dimension & Surface Quality						
Length & Width	±0.1%	±0.3%	±0.1%			
Thickness	±5.0%	±5.0%	±4.0%			
Straightness of Side	±0.1%	±0.3%	±0.1%			
Rectengularity	±0.1%	±0.3%	±0.1%			
Surface Flatness				IS 13630 Part 1/ ISO 10545-2		
Center Curvature (Max.Deviation)	±0.5%	±0.4%	±0.2%	1		
Edge Curvature (Max.Deviation)	±0.5%	±0.4%	±0.2%			
Corner Warpage (Max.Deviation)	±0.5%	±0.4%	±0.2%			
Surface Quality	Min. 95% of tiles will be free from visible defects	Min. 95% of tiles will be free from visible defects	Min. 95% of tiles will be free from visible defects			
Physical Properties						
Water Absorption	Avr. E ≤ 0.08%, Individual 0.1% Max	Av ≤ 0.5%, Individual 0.6% Max	Avg.≤0.08%	IS 13630 Part 2/ISO 10545-3		
Modulus of Rupture (N/mm²)	Avg. 35, Individual 32 Min	Avg. 35, Individual 32 Min	Avg. > 35	IS 13630 Part 6/ISO 10545-4		
Breaking Strength in N	1300 N	1300 N	Min, 1300 N			
Moisture Expansion in mm/m	0.02	Test Method Available	0.02	IS 13630 Part 3/ISO-10545-10		
Scratch Hardness of Surface (Mohs)	Min 5	N.A.	Min.5 (for Matt & RT), Min.3 (for Polished)	IS 13630 Part 13		
Resistance to Abrasion of Glazed Tiles (Class I to V)	Min II	Abrasion Class & Cycle passed	Class-V (for Matt & RT), Class-II (for Polished)	IS 13630 Part 11/ISO 10545-7		
Coefficient of Linear Thermal Expansion From Ambient Temperature to 100 C	6 X 10 <sup>-</sup> K⁻¹ Max	Test Method Available	Max 6 X 10 <sup>-6</sup> K <sup>-1</sup> Max	IS 13630 Part 4/ISO 10545-8		
Thermal Shock Resistance	10 cycle min	Test Method Available	10 cycle passed	IS 13630 Part 5/ISO-10545-9		
Crazing Resistance	4 cycle @ 7.5bar min	Required	4 cycle passed	IS 13630 Part 9/ISO-10545-11		
Impact Resistance as Co-efficient of Restitution (COR)	0.55 min	Test Method Available	Min 0.55	IS 13630 Part 14/ISO-10545-5		
Frost Resistance	Required	Required	100 Cycle Passed	IS 13630 Part 10/ISO 10545-12		
Chemical Resistance (Glazed Tiles)						
Stain Resistance	Min Class-1	Min Class 3	Min Class-1 (For Matt), Min Class-2 (For Polished)	IS 13630 Part 8 & ISO 10545-14		
Resistance to Household Chemicals	Min Class AA	Min B	Min Class AA	IS 13630 Part 8/ISO 10545-13		
Resistance to Acids and Alkalis (with exception of Hydrofluoric Acid and its compounds)	Required if agreed	Declared Value'	Min Class AA			

The reproduction of tiles in this catalogue is restricted to four color printing only and tiles are not in relative sizes, therefore customers are advised to see the physical sample before placing the order. "Technical Specification" for Somany wall & floor tiles are applicable only for premium quality tiles. Please inspect all tiles prior to installation. Company will not entertain complaints once tiles are laid/fixed. Complaints will not be entertained for Borders, Highlighters & Motifs.







Water Closets | Basins | Faucets | Showers | Water Heaters | Accessories







### HIGH STRENGTH POLYMER MODIFIED

TILE ADHESIVE



### BENEFITS -

- » READY AND EASY TO USE
- » EXCELLENT BONDING WITH ALL SURFACES
- FAST SETTING
- SELF-CURING

### <u>USES</u>

- FOR FIXING ALL TYPE OF TILES
- FOR NEW FLOORING AND RENOVATION
- » CAN BE USED FOR TILE ON TILE